CENTERS FOR MEDICARE & MEDICAID SERVICES CLINICAL LABORATORY IMPROVEMENT AMENDMENTS

CERTIFICATE OF ACCREDITATION

LABORATORY NAME AND ADDRESS

STANFORD CLINICAL LABORATORY AT HILLVI 3375 HILLVIEW AVENUE PALO ALTO, CA 94304 O5D1038598

EFFECTIVE DATE

05/18/2016

EXPIRATION DATE

05/17/2018

LABORATORY DIRECTOR

DANIEL A ARBER, MD

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.

COMS GENTERS FOR MEDICANE & MEDICAND SERVICES

Karen W. Dyer, Acting Director Division of Laboratory Services Survey and Certification Group

Center for Clinical Standards and Quality

367 Certs2 041916

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

LAB CERTIFICATION (CODE)	EFFECTIVE DATE
BACTERIOLOGY (110)	09/19/2007
MYCOBACTERIOLOGY (115)	09/19/2007
MYCOLOGY (120)	09/19/2007
PARASITOLOGY (130)	09/19/2007
VIROLOGY (140)	09/19/2007
SYPHILIS SEROLOGY (210)	09/19/2007
GENERAL IMMUNOLOGY (220)	09/19/2007
ROUTINE CHEMISTRY (310)	05/18/2006
ENDOCRINOLOGY (330)	09/19/2007
TOXICOLOGY (340)	09/25/2008
HEMATOLOGY (400)	03/12/2008
HISTOPATHOLOGY (610)	10/23/2012
CYTOGENETICS (900)	05/18/2006
The state of the s	

LAB CERTIFICATION (CODE)

EFFECTIVE DATE



FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.

PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.